

Immunization Site Map

Suggested sites for
infant immunizations:



RD: _____

LD: _____

RT: _____

LT: _____

RT: _____

LT: _____

RD= Right deltoid (IM) or subcutaneous
tissue on upper arm (SC).

RT= Right vastus lateralis (IM) or subcuta-
neous tissue on thigh (SC).

LD= Left deltoid (IM) or subcutaneous
tissue on upper arm (SC).

LT= Left vastus lateralis (IM) or subcu-
taneous tissue on thigh (SC).



California Department of Health Services • Immunization Branch • 2151 Berkeley Way • Berkeley, CA 94704



IMM-718 (5/01)

Immunization Site Map

Suggested sites for toddler immunizations:



RD: _____

RT: _____

RT: _____

RD= Right deltoid (IM) or subcutaneous tissue on upper arm (SC).
RT= Right vastus lateralis (IM) or subcutaneous tissue on thigh (SC).

LD: _____

LT: _____


LT: _____

LD= Left deltoid (IM) or subcutaneous tissue on upper arm (SC).
LT= Left vastus lateralis (IM) or subcutaneous tissue on thigh (SC).




Giving All The Doses

One way to give 5 doses at one visit



One way to give 7 doses (if needed) at one visit



The deltoid muscle is an option for IM injections in children 18 months and older with adequate muscle mass.