


LaCrosse Encephalitis Incidence Rates* By Age Group, West Virginia, 1997 - 2001



*5-year average annual age-specific rate per 100,000 West Virginia residents

LaCrosse Encephalitis in West Virginia, 1995-2001

County	1995	1996	1997	1998	1999	2000	2001	7-Yr Total
Barbour	0	0	0	0	0	1	0	1
Boone	0	3	5	2	1	2	3	16
Braxton	0	1	1	0	0	0	0	2
Clay	0	3	3	0	1	0	0	7
Fayette	3	11	12	9	2	7	6	50
Greenbrier	5	4	3	2	2	4	4	24
Kanawha	4	8	5	6	1	2	5	31
Logan	4	4	3	1	0	3	1	16
McDowell	3	1	1	2	0	1	2	10
Mercer	5	2	7	3	0	4	6	27
Mineral	0	0	1	0	0	0	0	1
Mingo	0	1	0	0	0	0	0	1
Monongalia	0	0	0	0	0	1	0	1
Monroe	0	0	0	0	0	0	1	1
Nicholas	8	17	8	5	3	2	2	45
Pocahontas	0	0	1	0	0	0	0	1
Preston	0	0	0	0	0	1	0	1
Putnam	0	0	1	0	0	0	0	1
Raleigh	8	8	14	12	3	10	12	67
Randolph	0	0	0	0	0	0	1	1
Upshur	0	0	1	0	0	0	0	1
Webster	3	2	3	0	3	1	0	12
Wyoming	0	1	5	4	0	1	1	12
Total	43	66	74	46	16	40	44	329

LaCROSSE ENCEPHALITIS IN WEST VIRGINIA

1995-2001

