





CONSENT FOR TREATMENT (Uncommon Medications)



Name _____ Date _____

I consent to treatment for my tuberculosis exposure, latent TB exposure, and/or active TB disease with the following drugs: (Check box for drug client is on)

| Medications | Things That May Happen: | Comments |
|--|---|--|
| <p><u>INJECTABLES</u></p> <p><input type="checkbox"/> Capreomycin</p> <p><input type="checkbox"/> Amakacin</p> <p><input type="checkbox"/> Kanamycin</p> <p><input type="checkbox"/> Streptomycin</p> | <p>Dizziness; ringing in the ears or hearing loss; irregular heartbeat; muscle weakness/cramps; trouble breathing; easy bleeding/bruising; decreased urination; balance problems; renal toxicity; rash.</p> | <p> Caution: Soreness or hardening at the injection site. Do not drink alcohol. Drink plenty of fluids. Avoid pregnancy.</p> |
| <p><input type="checkbox"/> Para-Aminosalicylate (PASER)</p> | <p>Gastrointestinal distress; light colored stools; black stools or bleeding; dark brown urine; hypothyroidism; bleeding problems; loss of appetite; fatigue; yellow eyes or skin; rash</p> | <p> Caution: Do not drink alcohol. Avoid using Tylenol (acetaminophen). Avoid pregnancy.</p> |
| <p><input type="checkbox"/> Seromycin (Cycloserine)</p> | <p>Nervous system side effects: seizures; tremor; headache; confusion; psychosis; suicidal ideation; hyper-irritability; aggression, trouble talking. Rash or hives.</p> | <p> Caution: Don't drink alcohol. Avoid using Tylenol (acetaminophen). Avoid pregnancy. If experiencing suicidal thoughts, increased depression or mental health changes, call your healthcare provider or 9-1-1 immediately.</p> |
| <p><input type="checkbox"/> Ethionamide</p> | <p>Diarrhea; nausea; stomach; loss of appetite; fatigue; dark brown urine; light colored stool; yellow eyes or skin; hypothyroidism; metallic taste; depression; nervousness; easy bruising/bleeding; drowsiness; weakness; rash.</p> | <p> Caution: Don't drink alcohol. Avoid using Tylenol (acetaminophen). Avoid pregnancy. If experiencing suicidal thoughts, increased depression or mental health changes, call your healthcare provider or 9-1-1 immediately.</p> |

These possible side effects have been fully discussed with me by the physician and/or nurse. The benefits of this therapy have been explained to me, as well as the importance of taking the medication(s) regularly and consistently as recommended. I also understand that Directly Observed Therapy (DOT), where the nurse or an agreed upon responsible person watches me swallow my medication, is a nationally recognized standard of therapy.

I understand that most people can take the medication(s) without difficulty, but if I should develop any of the symptoms listed above, I am to contact _____ at _____

and ask to speak with a nurse. **I AM NOT TO WAIT UNTIL MY NEXT CLINIC APPOINTMENT**, but am to call right away for instructions for follow-up of my symptoms.

I have read this form or have had it explained to me. I have had an opportunity to ask my health care provider questions about my treatment and received a copy of my treatment plan. I understand the benefits and risks of taking these medications. I agree to take my Tuberculosis medications as directed.

Signature of person accepting treatment (or parent or guardian)

Date

Printed Name

Relationship to patient

Signature of Health Professional Witness

Date

Health Professional Witness (print)

Health Dept.