



West Virginia HIV/AIDS Surveillance Report

2013 January UpdateWest Virginia HIV/AIDS Program



Office of Epidemiology & Prevention Services
Division of STD, HIV, & Hepatitis
350 Capitol Street, Room 125
Charleston, WV 25301

Earl Ray Tomblin, Governor Rocco S. Fucillo, Cabinet Secretary



West Virginia HIV/AIDS Surveillance Report January 2013

Earl Ray Tomblin Governor

Rocco S. Fucillo Cabinet Secretary, Department of Health and Human Resources

> Marian L. Swinker, M.D., MPH Commissioner and State Health Officer, Bureau for Public Health

Loretta Haddy, PhD, MA, MS State Epidemiologist and Director, Office of Epidemiology and Prevention Services, **Bureau for Public Health**

West Virginia Department of Health and Human Resources Division of STD, HIV, and Hepatitis

Administrative and Staff Acknowledgements

ADMINISTRATION

Loretta Haddy, PhD, MA, MS State Epidemiologist and Director, Office of Epidemiology

& Prevention Services

Susan Hall, MA Director, Division of STD, HIV, & Hepatitis

HIV/AIDS SURVEILLANCE STAFF

Vicki Hogan, MPH HIV Surveillance Coordinator

Claire Dye, MSPH Epidemiologist

Debora Blankinship HIV and STD Data Manager

HIV/AIDS PREVENTION STAFF

Nils Haynes HIV Prevention Specialist
Chuck Anziulewicz HIV Prevention Specialist
Chuck Hall HIV Prevention Specialist
Jodie Layden, MS HIV Prevention Specialist
Betty Lou Slawter HIV/AIDS Secretary
Kimberly Moore HIV/AIDS Secretary
Annette Wilborne HIV/AIDS Office Assistant

STD PREVENTION/SURVEILLANCE STAFF

Kenneth Gould Disease Intervention Specialist Supervisor

Dianna Ryan, MA **Disease Intervention Specialist** John Armstrong **Disease Intervention Specialist Bridget Connard Disease Intervention Specialist** John Gundling, MPH Disease Intervention Specialist Chuck McConnell Disease Intervention Specialist Allan Zipf, MS **Disease Intervention Specialist** Matt Eakle Disease Intervention Specialist Kenya Burton **Disease Intervention Specialist**

Sandra Graham, RN Adult Viral Hepatitis Prevention Coordinator

Stacy Riffe, MPH Hepatitis B Epidemiologist

REPORT PREPARED BY:

Claire E. Dye, MSPH

EDITED BY:

Loretta Haddy, PhD, MA, MS

An electronic version of the profile is available at: www.hiv.wv.gov

Please forward any comments or questions regarding this report to:

Loretta Haddy, PhD, MA, MS
Director
Office of Epidemiology and Prevention Services
350 Capitol Street, Room 125
Charleston, West Virginia 25301-3715
(304) 356-4077
Email: Loretta.E.Haddy@wv.gov

Susan Hall, MA
Director
Division of STD, HIV, and Hepatitis
350 Capitol Street, Room 125
Charleston, West Virginia 25301-3715
(304) 356-4073
Email: Susan.L.Hall@wv.gov

Data in this document are presented for diagnoses of HIV and AIDS reported to the West Virginia Department of Health and Human Resources through December 2012. Data are provisional and may vary in time due to new cases that are received and/or lost to other states. All data excludes individuals who currently reside in Federal prison. AIDS became a reportable disease by legislative rule in West Virginia in April 1984. HIV became reportable by name in West Virginia in September 1989.

NOTICE TO HEALTH CARE PROVIDERS, LABORATORIES, AND OTHERS RESPONSIBLE FOR DISEASE REPORTING:

West Virginia Code §16-3C-8, §16-3-1et seg., 64CSR64, and 64CSR7 require that all positive HIV test results and all cases of AIDS as defined by the CDC must be reported to the West Virginia Bureau for Public Health. For information on the CDC AIDS case definition, to obtain case report forms, or to report a case, contact:

West Virginia Division of STD, HIV and Hepatitis 350 Capitol Street, Room 125 Charleston, West Virginia 25301-3715 Telephone (304) 558-2195 or 1-800-642-8244

Table of Contents

| HIV | – Not AIDS | 8 |
|------|---|----|
| | Number of HIV Cases by Select Characteristics, West Virginia, 09/1989-12/2012 | 8 |
| | Percentage of HIV Cases by Age at Diagnosis, West Virginia, 2008-2012 | 9 |
| | Percentage of HIV Cases by Age at Diagnosis, West Virginia, 1989-2007 | 9 |
| | Percentage of HIV Cases by Gender, West Virginia, 2008-2012 | 10 |
| | Percentage of HIV Cases by Gender, West Virginia, 1989-2007 | 10 |
| | Percentage of HIV Cases by Race, West Virginia, 2008-2012 | 11 |
| | Percentage of HIV Cases by Race, West Virginia, 1989-2007 | 11 |
| | Percentage of HIV Cases by Exposure Category, West Virginia, 2008-2012 | 12 |
| | Percentage of HIV Cases by Exposure Category, West Virginia, 1989-2007 | 12 |
| HIV, | /AIDS | 13 |
| | Number of HIV/AIDS Cases by Select Characteristics, West Virginia, 4/1984-12/2012 | 13 |
| | Percentage of HIV/AIDS Cases by Age at Diagnosis, West Virginia, 2008-2012 | 14 |
| | Percentage of HIV/AIDS Cases by Age at Diagnosis, West Virginia, 1984-2007 | 14 |
| | Percentage of HIV/AIDS Cases by Gender, West Virginia, 2008-2012 | 15 |
| | Percentage of HIV/AIDS Cases by Gender, West Virginia, 1984-2007 | 15 |
| | Percentage of HIV/AIDS Cases by Race, West Virginia, 2008-2012 | 16 |
| | Percentage of HIV/AIDS Cases by Race, West Virginia, 1984-2007 | 16 |
| | Percentage of HIV/AIDS Cases by Exposure Category, West Virginia, 2008-2012 | 17 |
| | Percentage of HIV/AIDS Cases by Exposure Category, West Virginia, 1984-2007 | 17 |
| | Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Gender | 18 |
| | Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Race | 18 |
| | Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Age at Diagnosis | 19 |
| | Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Exposure | 19 |
| DEA | THS | 20 |
| | Deaths Among Persons with HIV/AIDS by Year of Death and Select Characteristics | 20 |
| AID: | S | 21 |
| | Number of AIDS Cases by Select Characteristics, West Virginia, 4/1984-12/2012 | 21 |
| | Percentage of AIDS Cases by Age at Diagnosis, West Virginia, 2008-2012 | 22 |
| | Percentage of AIDS Cases by Age at Diagnosis, West Virginia, 1984-2007 | 22 |

| | Percentage of AIDS Cases by Gender, West Virginia, 2008-2012 | 23 |
|-----|--|----|
| | Percentage of AIDS Cases by Gender, West Virginia, 1984-2007 | 23 |
| | Percentage of AIDS Cases by Race, West Virginia, 2008-2012 | 24 |
| | Percentage of AIDS Cases by Race, West Virginia, 1984-2007 | 24 |
| | Percentage of AIDS Cases by Exposure Category, West Virginia, 2008-2012 | 25 |
| | Percentage of AIDS Cases by Exposure Category, West Virginia, 1984-2007 | 25 |
| Per | sons Living with HIV/AIDS (PLWHA) | 26 |
| | Number of Persons Living with HIV/AIDS, West Virginia, December 31, 2012 | 26 |
| | Percentage of Persons Living with HIV/AIDS by Current Age, West Virginia, 2012 | 27 |
| | Percentage of Persons Living with HIV/AIDS by Gender, West Virginia, 2012 | 27 |
| | Percentage of Persons Living with HIV/AIDS by Race, West Virginia, 2012 | 28 |
| | Percentage of Persons Living with HIV/AIDS by Exposure Category, West Virginia, 2012 | 28 |
| Ged | ographic Distribution of HIV/AIDS in West Virginia | 29 |
| | Number of PLWHA by Public Health District, West Virginia, 2012 | 30 |

HIV - Not AIDS


| Number of HIV Cases by Select Characteristics, West Virginia, 9/1989-12/2012 | | | | | | | | |
|--|--------------------------------------|-------------|-------------|-------------|-------------|-------------|---------------------------------------|--|
| Characteristic | Cumulative through 2007 No. | 2008 No. | 2009 No. | 2010 No. | 2011 No. | 2012 No. | Cumulative through 2012* No. | |
| Age at Diagnosis | | | | | | | | |
| <13 | 7 | <5 | <5 | <5 | <5 | <5 | 12 | |
| 13-24 | 158 | 11 | 6 | 10 | 14 | 7 | 206 | |
| 25-44 | 434 | 26 | 27 | 25 | 22 | 26 | 560 | |
| 45-64 | 77 | 8 | 7 | 8 | 11 | 6 | 117 | |
| 65+ | 6 | <5 | <5 | <5 | <5 | <5 | 7 | |
| Gender | | | | | | | | |
| Males | 513 | 35 | 30 | 37 | 36 | 29 | 681 | |
| Females | 169 | 10 | 14 | 6 | 13 | 10 | 222 | |
| Race/Ethnicity | | | | | | | | |
| White | 429 | 32 | 32 | 33 | 35 | 26 | 588 | |
| Black | 224 | 10 | 12 | 6 | 9 | 10 | 271 | |
| Hispanic | 15 | <5 | <5 | <5 | <5 | <5 | 25 | |
| Asian, Native Hawaiian or Pacific Islander | <5 | <5 | <5 | <5 | <5 | <5 | 5 | |
| American Indian or Alaskan Native | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| Multiple Race | 7 | <5 | <5 | <5 | <5 | <5 | 11 | |
| Exposure Category | | | | | | | | |
| Male-to-male sex (MSM) | 327 | 29 | 18 | 25 | 27 | 14 | 440 | |
| Injection drug use (IDU) | 116 | <5 | <5 | 5 | 7 | <5 | 137 | |
| MSM/IDU | 20 | <5 | <5 | <5 | <5 | <5 | 27 | |
| Heterosexual contact | 127 | 9 | 13 | 6 | 11 | 6 | 172 | |
| Perinatal | 8 | <5 | <5 | <5 | <5 | <5 | 13 | |
| Other**/Unknown | 84 | <5 | 5 | 6 | <5 | 13 | 114 | |
| Total | 682 | 45 | 44 | 43 | 49 | 3 9 | 903 | |

Notes. These are actual numbers of cases of HIV that were reported to the West Virginia Bureau for Public Health as of December 31, 2012. No adjustments were made for reporting delays. Numbers include only persons diagnosed with HIV infection who have not been diagnosed with AIDS as of December 31, 2012.


^{*}Cumulative number includes one case with unknown diagnosis year.

^{**&}quot;Other" risk category includes hemophilia, blood transfusion, and risk not reported or not identified.


Percentage of HIV Cases by Age at Diagnosis, West Virginia, 2008-2012




Percentage of HIV Cases by Age at Diagnosis, West Virginia, 1989-2007




Percentage of HIV Cases by Gender, West Virginia, 2008-2012




Percentage of HIV Cases by Gender, West Virginia, 1989-2007




Percentage of HIV Cases by Race, West Virginia, 2008-2012




Percentage of HIV Cases by Race, West Virginia, 1989-2007



Percentage of HIV Cases by Exposure Category, West Virginia, 2008-2012



Percentage of HIV Cases by Exposure Category, West Virginia, 1989-2007



HIV/AIDS

| Number of HIV/AIDS Ca | ses by Select (| haracte | ristics, | West V | irginia, | 4/1984 | l-12/2012 |
|---|--------------------------------------|-------------|-------------|-------------|-------------|-------------|---------------------------------------|
| Characteristic | Cumulative through 2007 No. | 2008 No. | 2009 No. | 2010 No. | 2011 No. | 2012 No. | Cumulative through 2012* No. |
| Age at Diagnosis | | | | | | | |
| <13 | 19 | <5 | <5 | <5 | <5 | <5 | 24 |
| 13-24 | 308 | 14 | 10 | 14 | 19 | 13 | 378 |
| 25-44 | 1,506 | 49 | 49 | 45 | 41 | 40 | 1,730 |
| 45-64 | 382 | 25 | 25 | 27 | 31 | 16 | 506 |
| 65+ | 27 | <5 | <5 | <5 | <5 | <5 | 35 |
| Gender | | | | | | | |
| Males | 1,817 | 74 | 69 | 74 | 74 | 57 | 2,166 |
| Females | 425 | 15 | 20 | 12 | 22 | 14 | 508 |
| Race/Ethnicity** | | | | | | | |
| White | 1,666 | 65 | 59 | 59 | 71 | 42 | 1,963 |
| Black | 512 | 17 | 29 | 19 | 17 | 21 | 615 |
| Hispanic | 35 | <5 | <5 | 5 | 5 | <5 | 53 |
| Asian, Native Hawaiian or Pacific Islander | 6 | <5 | <5 | <5 | <5 | <5 | 9 |
| American Indian or Alaskan Native | <5 | <5 | <5 | <5 | <5 | <5 | 5 |
| Multiple Race | 19 | <5 | <5 | <5 | <5 | <5 | 29 |
| Exposure Category | | | | | | | |
| Male-to-male sex (MSM) | 1,183 | 52 | 43 | 49 | 51 | 31 | 1,409 |
| Injection drug use (IDU) | 345 | 14 | 12 | 7 | 13 | 5 | 396 |
| MSM/IDU | 101 | <5 | <5 | <5 | 7 | <5 | 120 |
| Heterosexual contact | 330 | 12 | 20 | 14 | 21 | 10 | 407 |
| Perinatal | 20 | <5 | <5 | <5 | <5 | <5 | 25 |
| Other***/Unknown | 263 | 8 | 8 | 12 | 4 | 22 | 317 |
| Total | 2,242 | 89 | 89 | 86 | 96 | 71 | 2,674 |


Notes. These are actual numbers of cases of HIV and/or AIDS that were reported to the West Virginia Bureau for Public Health as of December 31, 2012. No adjustments were made for reporting delays. Numbers include persons diagnosed with HIV infection (not AIDS), HIV infection and later AIDS, and concurrent diagnoses of HIV infection and AIDS.

^{*}Cumulative number includes one case with unknown diagnosis year.


^{**}Excludes 4 persons of unknown race/ethnicity.

^{***&}quot;Other" risk category includes hemophilia, blood transfusion, and risk not reported or not identified. Required HIV reporting began January, 1989.


Percentage of HIV/AIDS Cases by Age at Diagnosis, West Virginia, 2008-2012




Percentage of HIV/AIDS Cases by Age at Diagnosis, West Virginia, 1984-2007




Percentage of HIV/AIDS Cases by Gender, West Virginia, 2008-2012




Percentage of HIV/AIDS Cases by Gender, West Virginia, 1984-2007




Percentage of HIV/AIDS Cases by Race, West Virginia, 2008-2012




Percentage of HIV/AIDS Cases by Race, West Virginia, 1984-2007




Percentage of HIV/AIDS Cases by Exposure Category, West Virginia, 2008-2012




Percentage of HIV/AIDS Cases by Exposure Category, West Virginia, 1984-2007




Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Gender







Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Race

Number of Adult and Adolescent HIV/AIDS Cases Diagnosed by Race, West Virginia, 2008-2012




Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Age at Diagnosis





Number of Adult and Adolescent HIV/AIDS Cases by Year of Diagnosis and Exposure

Number of Adult and Adolescent HIV/AIDS Cases by Exposure Category, West Virginia, 2008-2012



DEATHS

| Deaths Among Persons with HIV/AIDS by Year of Death and Select Characteristics West Virginia, 4/1984-12/2012 | | | | | | | | | |
|---|--------------------------------------|------|------|------|------|------|---------------------------------------|--|--|
| Characteristic | Cumulative deaths through 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | Cumulative deaths through 2012* | | |
| | No. | No. | No. | No. | No. | No. | No. | | |
| Age at Death | | | | | | | | | |
| <13 | 6 | <5 | <5 | <5 | <5 | <5 | 6 | | |
| 13-24 | 23 | <5 | <5 | <5 | <5 | <5 | 24 | | |
| 25-44 | 607 | 12 | 16 | 8 | 10 | <5 | 655 | | |
| 45-64 | 241 | 26 | 19 | 24 | 20 | 8 | 338 | | |
| 65+ | 27 | <5 | <5 | <5 | <5 | <5 | 37 | | |
| Gender | | | | | | | | | |
| Males | 772 | 31 | 27 | 25 | 31 | 7 | 896 | | |
| Females | 132 | 10 | 10 | 8 | <5 | 5 | 168 | | |
| Race/Ethnicity | | | | | | | | | |
| White | 722 | 24 | 22 | 19 | 29 | 9 | 828 | | |
| Black | 167 | 14 | 13 | 13 | 4 | <5 | 214 | | |
| Hispanic | 9 | <5 | <5 | <5 | <5 | <5 | 10 | | |
| Asian, Native Hawaiian or Pacific Islander | <5 | <5 | <5 | <5 | <5 | <5 | <5 | | |
| American Indian or Alaskan Native | <5 | <5 | <5 | <5 | <5 | <5 | <5 | | |
| Multiple Race | <5 | <5 | <5 | <5 | <5 | <5 | 10 | | |
| Exposure Category | | | | | | | | | |
| Male-to-male sex (MSM) | 476 | 18 | 11 | 14 | 21 | <5 | 544 | | |
| Injection drug use (IDU) | 149 | 9 | 10 | 5 | <5 | <5 | 179 | | |
| MSM/IDU | 56 | <5 | <5 | <5 | <5 | <5 | 63 | | |
| Heterosexual contact | 86 | 8 | 13 | 6 | <5 | <5 | 121 | | |
| Perinatal | 5 | <5 | <5 | <5 | <5 | <5 | 5 | | |
| Other**/Unknown | 132 | 5 | <5 | 5 | <5 | <5 | 152 | | |
| Total | 904 | 28 | 38 | 36 | 34 | 9 | 1,064 | | |

Notes. These are actual numbers of deaths among cases of HIV/AIDS that were reported to the West Virginia Bureau for Public Health as of December 31, 2012. No adjustments were made for reporting delays. Numbers include persons diagnosed with HIV infection (not AIDS), HIV infection and later AIDS, and concurrent diagnoses of HIV infection and AIDS.

^{*}Cumulative deaths includes 4 cases with unknown year of death.

^{**&}quot;Other" risk category includes hemophilia, blood transfusion, and risk not reported or not identified.


AIDS

| Number of AIDS Cases Diagnosed by Select Characteristics West Virginia, 4/1984-12/2012 | | | | | | | | |
|---|-------------------------------|------|------|------|------|------|-------------------------------|--|
| Characteristic | Cumulative through 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | Cumulative through 2012 | |
| | No. | No. | No. | No. | No. | No. | No. | |
| Age at Diagnosis | | | | | | | | |
| <13 | 11 | <5 | <5 | <5 | <5 | <5 | 11 | |
| 13-24 | 94 | <5 | <5 | <5 | 5 | 6 | 115 | |
| 25-44 | 1,058 | 35 | 32 | 19 | 25 | 25 | 1,194 | |
| 45-64 | 323 | 21 | 18 | 22 | 20 | 16 | 420 | |
| 65+ | 23 | <5 | <5 | <5 | <5 | <5 | 31 | |
| Gender | | | | | | | | |
| Males | 1,265 | 51 | 46 | 39 | 42 | 42 | 1,485 | |
| Females | 244 | 8 | 9 | 6 | 12 | 7 | 286 | |
| Race/Ethnicity | | | | | | | | |
| White | 1,196 | 45 | 33 | 30 | 41 | 30 | 1,375 | |
| Black | 281 | 8 | 20 | 13 | 10 | 12 | 344 | |
| Hispanic | 18 | <5 | <5 | <5 | <5 | <5 | 28 | |
| Asian, Native Hawaiian or Pacific Islander | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| American Indian or Alaskan Native | <5 | <5 | <5 | <5 | <5 | <5 | <5 | |
| Multiple Race | 11 | <5 | <5 | <5 | <5 | <5 | 18 | |
| Exposure Category | | | | | | | | |
| Male-to-male sex (MSM) | 828 | 31 | 31 | 27 | 28 | 24 | 969 | |
| Injection drug use (IDU) | 225 | 11 | 12 | <5 | 7 | <5 | 259 | |
| MSM/IDU | 81 | <5 | <5 | <5 | 5 | <5 | 93 | |
| Heterosexual contact | 189 | 8 | 10 | 7 | 14 | 7 | 235 | |
| Perinatal | 12 | <5 | <5 | <5 | <5 | <5 | 12 | |
| Other*/Unknown | 174 | 7 | <5 | 6 | <5 | 14 | 203 | |
| Total | 1,509 | 59 | 55 | 45 | 54 | 49 | 1,771 | |


Notes. These are actual numbers of cases of AIDS that were reported to the West Virginia Bureau for Public Health as of December 31, 2012. No adjustments were made for reporting delays.

^{*&}quot;Other" risk category includes hemophilia, blood transfusion, and risk not reported or not identified.


Percentage of AIDS Cases by Age at Diagnosis, West Virginia, 2008-2012




Percentage of AIDS Cases by Age at Diagnosis, West Virginia, 1984-2007




Percentage of AIDS Cases by Gender, West Virginia, 2008-2012




Percentage of AIDS Cases by Gender, West Virginia, 1984-2007




Percentage of AIDS Cases by Race, West Virginia, 2008-2012




Percentage of AIDS Cases by Race, West Virginia, 1984-2007



Percentage of AIDS Cases by Exposure Category, West Virginia, 2008-2012



Percentage of AIDS Cases by Exposure Category, West Virginia, 1984-2007



Persons Residing with HIV/AIDS (PRWHA)


| Number and % of Persons Residing with HIV/AIDS, West Virginia, As of December 31, 2012 | | | | | | | | | |
|--|-------|------|--|--|--|--|--|--|--|
| Characteristic | No.* | % | | | | | | | |
| Current Age | | | | | | | | | |
| <13 | 7 | 0.4 | | | | | | | |
| 13-24 | 75 | 4.0 | | | | | | | |
| 25-44 | 728 | 38.6 | | | | | | | |
| 45-64 | 993 | 52.7 | | | | | | | |
| 65+ | 76 | 4.0 | | | | | | | |
| Gender | | | | | | | | | |
| Males | 1,491 | 79.1 | | | | | | | |
| Females | 391 | 20.8 | | | | | | | |
| Race/Ethnicity** | | | | | | | | | |
| White, not Hispanic | 1,361 | 72.2 | | | | | | | |
| Black, not Hispanic | 430 | 22.8 | | | | | | | |
| Hispanic | 47 | 2.5 | | | | | | | |
| Asian, Native Hawaiian/Pacific Islander | 14 | 0.7 | | | | | | | |
| American Indian/Alaskan Native | 5 | 0.3 | | | | | | | |
| Multiple Race | 27 | 1.4 | | | | | | | |
| Exposure Category | | | | | | | | | |
| Male-to-male sex (MSM) | 1,019 | 54.1 | | | | | | | |
| Injection drug use (IDU) | 235 | 12.5 | | | | | | | |
| MSM/IDU | 82 | 4.4 | | | | | | | |
| Heterosexual contact | 330 | 17.5 | | | | | | | |
| Perinatal | 21 | 1.1 | | | | | | | |
| Other**/Unknown | 197 | 10.5 | | | | | | | |
| Total People Living with HIV/AIDS | 1,884 | 100 | | | | | | | |

Notes. Estimated number of Persons living with HIV or AIDS as of December 31, 2012. No adjustments were made for reporting delays. Numbers include persons diagnosed with HIV infection (not AIDS), HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.


^{*} Total N of 1,884 includes 2 cases with unknown gender and 5 cases with unknown current age.

^{*&}quot;Other" risk category includes hemophilia, blood transfusion, and risk not reported or not identified.


Percentage of Persons Living with HIV/AIDS by Current Age, West Virginia, 2012




Percentage of Persons Living with HIV/AIDS by Gender, West Virginia, 2012



Percentage of Persons Living with HIV/AIDS by Race, West Virginia, 2012




Percentage of Persons Living with HIV/AIDS by Exposure Category, West Virginia, 2012



Geographic Distribution of HIV/AIDS in West Virginia

West Virginia counties are grouped into eight Public Health Management Districts. The following section provides information about the distribution of HIV and AIDS in West Virginia by Public Health Management District.



| Number of PRWHA by Public Health District, West Virginia, | | | | | | | | | |
|---|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|-------|
| Nulliber of PR | As of December 31, 2012 | | | | | | | | |
| | West Virginia Public Health District | | | | | | | | |
| Characteristic | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | Total |
| | No. | No. | No. | No. | No. | No. | No. | No. | No.* |
| Current Age | | | | | | | | | |
| <13 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | 7 |
| 13-24 | 8 | 10 | 19 | 8 | <5 | <5 | 10 | 14 | 75 |
| 25-44 | 102 | 100 | 177 | 40 | 52 | 32 | 117 | 106 | 728 |
| 45-64 | 98 | 109 | 220 | 61 | 70 | 85 | 168 | 178 | 993 |
| 65+ | 5 | 13 | 18 | <5 | <5 | <5 | 12 | 17 | 76 |
| Gender | | | | | | | | | |
| Males | 158 | 183 | 360 | 89 | 110 | 97 | 249 | 240 | 1,491 |
| Females | 57 | 49 | 78 | 24 | 20 | 25 | 60 | 76 | 391 |
| Race/Ethnicity§ | | | | | | | | | |
| White | 147 | 199 | 302 | 81 | 112 | 101 | 241 | 174 | 1,361 |
| Black | 57 | 26 | 118 | 25 | 13 | 17 | 48 | 124 | 430 |
| Hispanic | <5 | <5 | 8 | <5 | 5 | <5 | 12 | 10 | 47 |
| Asian, Native Hawaiian or Pacific Islander | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | 14 |
| American Indian or Alaskan Native | <5 | <5 | <5 | <5 | <5 | <5 | <5 | <5 | 5 |
| Multiple Race | 6 | 5 | 7 | <5 | <5 | <5 | <5 | <5 | 27 |
| Exposure Category | | | | | | | | | |
| Male-to-male sex (MSM) | 104 | 130 | 271 | 62 | 82 | 68 | 169 | 133 | 1,019 |
| Injection drug use (IDU) | 31 | 24 | 36 | 20 | 10 | 13 | 38 | 58 | 235 |
| MSM/IDU | 14 | 13 | 13 | 7 | 4 | 4 | 18 | 9 | 82 |
| Heterosexual contact | 43 | 46 | 64 | 13 | 22 | 25 | 48 | 67 | 330 |
| Perinatal | <5 | <5 | 5 | <5 | <5 | <5 | 5 | <5 | 21 |
| Other**/Unknown | 20 | 19 | 50 | 9 | 11 | 12 | 31 | 41 | 197 |
| Total | 215 | 233 | 439 | 113 | 130 | 122 | 309 | 316 | 1,884 |

Notes. Estimated number of Persons living with HIV or AIDS as of December 31, 2012. No adjustments were made for reporting delays. Numbers include persons diagnosed with HIV infection (not AIDS), HIV infection and later AIDS, and concurrent diagnoses of HIV infection and AIDS.

^{*}Total No. includes 7 cases with unknown district of current residence, 5 cases with unknown current age, and 2 cases with unknown gender.

^{**&}quot;Other" risk category includes hemophilia, blood transfusion, and risk not reported or not identified.