

Outbreak Report for Acute Respiratory Illness Outbreaks in Long-Term Care Facilities (LTCF)

Instructions: For Local Health Departments/Regional Epidemiologists. Please complete this report form for all acute respiratory outbreaks reported in long term care facilities. For complex outbreaks, a full written report is more appropriate for documentation. Consult an experienced epidemiologist for assistance. Fill in all fields to ensure completeness of the report. Reports should be submitted within 30 days of the closing of the outbreak. Once you have completed this form, please fax it to the West Virginia Department of Health and Human Resources, Bureau for Public Health, Office of Epidemiology and Prevention Services, Division of Infectious Disease Epidemiology (DIDE) at 304-558-8736 and share it with the facility.

Outbreak number (from DIDE):

Contact information for person who first notified health department about the outbreak:

Reported By: Affiliation: Date Reported: [Click here to enter a date.](#)
 Person Contacted: Affiliation:
 Date investigation initiated by the agency: [Click here to enter a date.](#)
 Name(s) Report Prepared By: Title(s):
 County: Region: Telephone:

1. Introduction and Background

Describe the context of the outbreak at the time of the initial report:

Who → population affected

# of Ill Residents		# of Ill Staff	
Total # of Residents		Total # of Staff	

Where →

Facility name: Facility county:
 Facility address:
 Facility type: Long-Term Care Facility Assisted living Other, specify:

When →

Date of first onset: [Click here to enter a date.](#)

What → describe clinical findings

Predominant Diagnoses (check all that apply):

- Pneumonia COVID
- Influenza-Like Illness (ILI) Others, Specify
- Lower Respiratory Tract Infection
- Upper respiratory Tract Infection

Objective(s) of Investigation (check all that apply):

- Control the outbreak
- Reduce severity and risk to others Prevent additional cases
- Respond to community concerns Other, specify:

Confidential Report- Distribute as necessary

2. Methods

Probable Case Definition (check definition used for this outbreak):

McGeer’s case definition worksheet that can be found at:
www.dhhr.wv.gov/oeps/disease/ob/documents/toolkits/acute-respiratory-ltcf/case-class-acute-ri-ltcf.pdf

Healthcare provider diagnosis

Other, Specify

Confirmed Case Definition

Meets probable case definition and is laboratory confirmed for a specific pathogen

Data Collection (check all that apply):

Line list

Facility report of cases

Other (specify):

Assessment of Infection Control Measures (check all that apply):

Site visit, indicate who

Phone interview of the Infection Preventionist or other staff

Conference call with facility

Other (specify):

3. Results (attach any epidemic curve and/or other data analysis)

Residents		Staff	
Total # of pneumonia cases*		Total # of pneumonia cases*	
Total # of influenza cases		Total # of influenza cases	
Total # of COVID cases		Total # of COVID cases	
Total # of other pathogen: specify		Total # of other pathogen: specify	
Total # of LRTI cases*		Total # of LRTI cases*	
Total # of URTI cases*		Total # of URTI cases*	

*Number who meets probable or confirmed case definition used for outbreak

Laboratory and Radiographic Work Up

Test	Number Tested	Results (number positive) *
OLS PCR		
Non-OLS viral PCR/culture		
Rapid Test Flu		
Rapid Test COVID		
Chest-X-ray		Total Pneumonia
Other, Specify		

*Indicate the number of positive except for WBC indicate Mean and Median

Does the facility have a standing order for any of the following (check all that apply):

Influenza Vaccination COVID Vaccination Pneumococcal Vaccination Antiviral Prophylaxis

Confidential Report- Distribute as necessary

Control Measures:

Date facility first started implementing control recommendations: [Click here to enter a date.](#)

Residents prophylaxed

Residents treated

Staff prophylaxed

- | | |
|---|---|
| <input type="checkbox"/> Active surveillance for respiratory illness | <input type="checkbox"/> Cohorted ill residents |
| <input type="checkbox"/> Practiced respiratory hygiene/cough etiquette | <input type="checkbox"/> Cohorted staff to work with ill or well |
| <input type="checkbox"/> Instituted droplet precautions | <input type="checkbox"/> Closed to new admissions in affected areas |
| <input type="checkbox"/> Instituted contact precautions | <input type="checkbox"/> Limited group social and dining activities |
| <input type="checkbox"/> Conducted educational in-service | <input type="checkbox"/> Limited visitation |
| <input type="checkbox"/> Ill staff should be excluded from work until return-to-work criteria was met | <input type="checkbox"/> Other, specify: |

Additional Control Measures, if Applicable:

- Influenza Vaccine COVID Vaccine Pneumococcal Vaccine Other, specify:

Outbreak Closure Information:

Onset date of first case: [Click here to enter a date.](#)

Onset date of last case: [Click here to enter a date.](#)

Number of individuals admitted to a hospital:

Number of individuals who died:

Average duration of illness (specify days):

Limitations: (discuss any limitations to this investigation)

Conclusion/Discussion: (discuss interpretation of investigation and any conclusions)

A person-to-person outbreak of ____ occurred at ____ that affected ____ cases/residents/attendees and staff. Illness onsets ranged from [Click here to enter a date.](#) to [Click here to enter a date.](#)

Recommendations/Lessons Learned:

- Provide influenza vaccine to all residents prior to the influenza season
- Provide all residents with pneumococcal, COVID vaccines and recommended boosters
- Encourage all healthcare workers to obtain the influenza vaccine prior to the influenza season
- Encourage all healthcare workers to be up to date on COVID vaccination
- Encourage the facility to use DIDE toolkit for acute respiratory outbreaks in LTCF
- Obtain standing order for collection of nasopharyngeal swabs and laboratory testing of symptomatic residents
- Encourage health care providers to perform appropriate testing (blood culture, sputum culture, if possible, WBC and chest x-ray) for suspected pneumonia cases during an outbreak
- Improve timeliness of reporting to the local health department
- Use appropriate infection control measures per CDC isolation guidelines
- Encourage hand hygiene and monitor healthcare worker compliance with hand hygiene recommendations
- Other:

Additional Comments:

Confidential Report- Distribute as necessary

Office of Epidemiology and Prevention Services
Division of Infectious Disease Epidemiology
350 Capitol St., Room 125, Charleston, WV, 25301
Phone: 304-558-5358, ext. 2 • Fax: 304-558-8736 • Answering Service 304-347-0843
Updated May 2023